


Tube Table.




Item No.	Ød mm ID	ØD mm OD	L mm	Comments.	Refer to drawing on	
1019	0.92	1.82	7.8		C1	1
1139	1.1	2.4	41			
330	1.15	2.3	18.5		C1	1
115	1.24	3.24	47		C1	1
1304	1.26	3	43			
17	1.3	2.7	25		C1	6
1976	1.4	3.4	44.32			
1706	1.45	8.5	11.2			
604	1.7	2.5	15		C1	1
1481	2	3.5	35			
1089	2	7.05	8		C2	2
315	2	4	11.25		C1	1
1847	2	3	20			
538	2.05	3.5	23.5		C1	1
1227	2	3.8	6			
1620	2	3.8	5.5			
1669	2.3	4	20			
1328	2.38	4.7	8.25			
431	2.4	4	20.25		C1	1
1327	2.4	4.7	12			
1722	2.5	4	5			
1875	2.5	15	30			
1039	2.75	8	12		C1	7
879	3	7.85	11.07		C1	3
1234	3	5	7.4			
1703	3	8.5	11.2			
1823Zr	3	5	14			
2065	3.1	5.8	8			
666	3.2	5	41		C1	2
526	3.2	4.9	19.7		C1	1
357	3.2	5.1	39.5		C1	6
1552	3.3	5	40			
1478	3.35	5	30.3			
401	3.4	5.1	8.25		C1	2
358	3.4	6	75		C1	3
704	3.5	5	8.25		C1	2
539	3.5	5.5	28.3		C1	2
466	3.5	5	6.6		C1	1
291	3.5	4.8	5		C1	1
1656	3.5	6	32.5			
2050	3.5	6	40	OD ground, ID with 0.75R		
2074	3.5	6	60			
250	3.5	6	100	R3 at ID		
1062	3.6	8&8.3	21.6		C1	7
1062-2	3.6	8	21.6			
294	3.7	9.1	12.75	Tapered entry at one	C1	4
1524	4	10	15	R1 at ID entrance		
370	4	5.4	47.8	3mm hole @ 45 deg on	G1	3
58	4	5.6	13		C1	2
1640	4	6.2	30			
942	4	9	10		C1	6
1822	4	16	50			
1727	4.2	9	10			
676	4.1	5.5	22		C1	6
269	4.1	8.5	7.9	Knurled.	C1	4
633	4.2	9	13.2		C1	4
240	4.2	9	18	Tapered entry at ends.	C1	4
1713	4.25	6.45	21			
171	4.3	8	55.5		C1	3
1945Zr	4.35	6.45	21			
513	4.4	7	45.2		C1	3

All dimensions in **mm.** **SCALE 1:1--** Unless Specified. Please **confirm critical dimensions** before ordering.



Tube Table.



Item No.	Ød mm ID	ØD mm OD	L mm	Comments.	Refer to drawing on	
1876	4.4	7	17			
2086	4.4	9	10			
846	4.5	10.8	35		C1	7
1085	4.6	9	7.5	Tapered entry at one	C2	1
52	4.98	9.5	79.5		C2	3
876	5	8.6	10		C1	2
1583	5	9.8	12			
1525	5.02	10	28			
860	5.1	7.58	29.8		C1	7
1806	5.1	9.8	10.2			
1840	5.1	8	65	ID has radius at both		
1938	5.3	7.9	23.9			
1517	5.35	9.7	18			
28	5.35	7	21.5		C1	3
730	5.4	7.7	15.5		C1	3
1237	5.4	10	28			
499	5.5	10	20		C1	5
29	5.5	10	51		C1	5
1525-2	5.6	10	28			
205	5.6	9.4	14.5		C1	4
204	5.6	9.3	12		C1	4
1614	5.9	8.4	3.6		E2	2
1997	6	9	9			
777	6.2	9.9	8		C1	5
439	6.2	9.9	8.1		C1	5
13	6.3	12.2	8.4		C1	6
1663	6.35	9.7	18			
202	6.5	10	12.85		C1	5
1540	6.9	9.8	8.2		G2	6
1530	7	12	6.9		G4	1
1023	7	11.4	14.3		C1	7
610	7	10	6		C1	5
1586	7	10	8			
582	7.3	8.9	6.2		C1	4
664	7.4	9.8	6.3		C1	5
1821	8	12	14			
1837	8	16	10			
1276	8	12.5	15			
1498	8	15	28	ID Curved		
1728	8.2	10	20			
1710	8.3	15	35		G3	7
1741	8.3	15	35	ID has radius at both ends		
1787	9	18.5	12			
1909	9.4	17.5	14			
44	10	12.8	48.4	Partition at centre	G1	4
1057	10.2	11.1	10.2		C1	7
703	10.9	14	8		C1	6
1381	12	22	25	1.5R on ID		
1739	12	16	60			
1851	12	18/18.4	15	1.5R on ID	G3	7
1993	12.7	19.05	44.45			
1947Zr	15	23	16			
1783	18.5	12	12			
1783wlogr	18.9	12	12			
1529	12.45	14.95/14.6	8.5	Step in OD		
1493	15	31.5	18		OA10	1
1947Zr	15	23	16	D R3.00 at Inlet and outlet	G4	2
1790	16	22.85	14.8	ID Curved		
1064	22	38	57		C2	1+2
1063	22	30	60.5		C2	1+2
2075	24	30	32			

All dimensions in **mm.** **SCALE 1:1--** Unless Specified. Please **confirm critical dimensions** before ordering.



